

SCAME INDIA PRICE LIST

w.e.f. 1st April 2016



 **CITROEN SWITCHGEARS PVT. LTD.**

AUTHORIZED DISTRIBUTORS AND CHANNEL PARTNER

147, Tavawala Building, Room No. 2, 1st Floor, Kantilal M Sharma St,
Lohar Chawl, Kalbadevi, Mumbai - 400002, Maharashtra

 citroenswg@gmail.com  www.citroenswitchgears.com

 022-40223444 / 48  +91-9820329301

Scame: a growing group

IN LESS THAN FIFTY YEARS
WE HAVE BUILT AN
INDUSTRIAL BUSINESS THAT
HAS ALWAYS PRESERVED
THE SPIRIT OF ITS ORIGINS





Scame INDIA established in 2013, is an Indian subsidiary of Scame Parre S.p.A. Italy headquartered in Parre (Bergamo). The group services the needs of Industrial, Commercial, Hospitality and residential sectors.

SCAME INDIA LIST PRICE

Presents the products in family groupings, while the articles within each family are listed by catalogue number. Listing by families, with their associated descriptions, makes for easier consultation of the price list. Articles shown without prices are in the process of development.

Regards
SCAME PARRE S.p.A.

PLUGS AND SOCKETS

PLUGS AND SOCKETS FOR INDUSTRIAL APPLICATIONS

OPTIMA Series
from page 6



DOMO Series
from page 8



DOMOPLUS Series
from page 9



OMNIAPLUS Series
from page 9



INTERLOCKED SWITCH SOCKET OUTLETS

OMNIA Series
from page 10



ADVANCE2 Series
from page 12



ADVANCE-GRP System
from page 12



MODULAR SERIES FOR DOMESTIC APPLICATIONS

UNIBOX Series
from page 13



PROTECTA Series
from page 13



MODULAR SERIES SWITCH DISCONNECTORS

Rotary Isolators
from page 14



ENCLOSURES

EMPTY ENCLOSURES FOR ELECTRICAL EQUIPMENT

DOMINO Series IP66
from page 16



DOMINO System IP66
from page 17



BLOCK Series IP66
from page 18



EMPTY ENCLOSURES FOR ELECTRICAL EQUIPMENT

ENERBOX Series IP55
from page 19



SCABOX Series
from page 20



CUBOX Series
from page 20



CABLE REEL COMPONENTS

ROLLER 330 Series
from page 21



ROLLER 450 Series
from page 21



ScameOnLine

Discover the **new application**
directly on the web.
www.scame.it/Comb Wizard.asp



You will quickly find an assemblies already assembled,
certified and ready to use.

OPTIMA Series

Plugs and sockets for industrial applications

PLUGS

	Current rating	No of poles	Hr position	Voltage AC	°	Cat. No.		INR price
						IP44	IP66/IP67	
	20A	2P+E	6	200-250	50	213.2033-SF	-	412.00
		2P+E		200-250	10/50	213.2033	-	420.00
		3P+E		380-415	10/50	213.2036	-	585.00
		3P+N+E		346-415	10/50	213.2037	-	794.00
	32A	2P+E	6	200-250	10/40	213.3233	-	708.00
		3P+E		380-415	10/40	213.3236	-	989.00
		3P+N+E		346-415	10/40	213.3237	-	966.00
	63A	2P+E	6	200-250	6/24	213.6333	-	4233.00
		3P+E		380-415	6/24	213.6336	-	4351.00
		3P+N+E		346-415	6/24	213.6337	-	4643.00
	20A	2P+E	6	200-250	10/40	-	218.2033	828.00
		3P+E		380-415	10/40	-	218.2036	1137.00
		3P+N+E		346-415	10/40	-	218.2037	1266.00
	32A	2P+E	6	200-250	10/40	-	218.3233	1119.00
		3P+E		380-415	10/40	-	218.3236	1478.00
		3P+N+E		346-415	10/40	-	218.3237	1553.00
	63A	2P+E	6	200-250	6/24	-	218.6333	4566.00
		3P+E		380-415	6/24	-	218.6336	4694.00
		3P+N+E		346-415	6/24	-	218.6337	4843.00
	125A	3P+N+E	6	346-415	1/8	-	218.12537	12029.00

☐ Pack/Quantity

CONNECTORS

	Current rating	No of poles	Hr position	Voltage AC	°	Cat. No.		INR price
						IP44	IP66/IP67	
	20A	2P+E	6	200-250	50	313.2043-SF	-	539.00
		2P+E		200-250	10/50	313.2043	-	545.00
		3P+E		380-415	10/50	313.2046	-	1060.00
		3P+N+E		346-415	10/50	313.2047	-	1422.00
	32A	2P+E	6	200-250	10/40	313.3243	-	1611.00
		3P+E		380-415	10/40	313.3246	-	1622.00
		3P+N+E		346-415	10/40	313.3247	-	1872.00

☐ Pack/Quantity

CONNECTORS



Current rating	No of poles	Hr position	Voltage AC	IP	Cat. No.		INR price
					IP44	IP66/IP67	
20A	2P+E	6	200-250	1Q/40	-	318.2043	1757.00
	3P+E		380-415	1Q/40	-	318.2046	1810.00
	3P+N+E		346-415	1Q/40	-	318.2047	2083.00
32A	2P+E	6	200-250	1Q/40	-	318.3243	2457.00
	3P+E		380-415	1Q/40	-	318.3246	2417.00
	3P+N+E		346-415	1Q/40	-	318.3247	2761.00
63A	2P+E	6	200-250	6/24	-	318.6343	6522.00
	3P+E		380-415	6/24	-	318.6346	6586.00
	3P+N+E		346-415	6/24	-	318.6347	7035.00
125A	2P+E	6	346-415	1/8	-	318.12547	18934.00

□ Pack/Quantity

FLUSH MOUNTING SOCKET OUTLETS



Current rating	No of poles	Hr position	Voltage AC	IP	Cat. No.		INR price
					IP44	IP66/IP67	
20A	2P+E	6	200-250	1Q/100	413.2063	-	448.00
	3P+E		380-415	1Q/100	413.2066	-	760.00
	3P+N+E		346-415	1Q/100	413.2067	-	1036.00
32A	2P+E	6	200-250	1Q/50	413.3263	-	676.00
	3P+E		380-415	1Q/50	413.3266	-	1263.00
	3P+N+E		346-415	1Q/50	413.3267	-	871.00
63A	2P+E	6	200-250	6/30	413.6363	-	3482.00
	3P+E		380-415	6/30	413.6366	-	3592.00
	3P+N+E		346-415	6/30	413.6367	-	3888.00
20A	2P+E	6	200-250	1Q/100	-	418.2063	692.00
	3P+E		380-415	1Q/100	-	418.2066	1207.00
	3P+N+E		346-415	1Q/100	-	418.2067	1539.00
32A	2P+E	6	200-250	1Q/50	-	418.3263	1030.00
	3P+E		380-415	1Q/50	-	418.3266	1776.00
	3P+N+E		346-415	1Q/50	-	418.3267	1714.00
63A	2P+E	6	200-250	6/30	-	418.6363	3870.00
	3P+E		380-415	6/30	-	418.6366	3991.00
	3P+N+E		346-415	6/30	-	418.6367	4172.00
125A	3P+N+E	6	346-415	1/10	-	418.12567	12147.00

□ Pack/Quantity

OPTIMA Series

Plugs and sockets for industrial applications

■ SURFACE MOUNTING SOCKET OUTLETS

	Current rating	No of poles	Hr position	Voltage AC	P	Cat. No.		INR price
						IP44	IP66/IP67	
	20A	2P+E	6	200-250	10/40	513.2053	-	828.00
		3P+E		380-415	10/40	513.2056	-	1257.00
		3P+N+E		346-415	10/40	513.2057	-	1285.00
	32A	2P+E	6	200-250	10	513.3253	-	1155.00
		3P+E		380-415	10	513.3256	-	1657.00
		3P+N+E		346-415	10	513.3257	-	2020.00
	20A	2P+E	6	200-250	10/40	-	518.2053T	1961.00
		3P+E		380-415	10/40	-	518.2056T	2106.00
		3P+N+E		346-415	10/40	-	518.2057T	2452.00
	32A	2P+E	6	200-250	10	-	518.3253T	2971.00
		3P+E		380-415	10	-	518.3256T	2925.00
		3P+N+E		346-415	10	-	518.3257T	3148.00
	63A	2P+E	6	200-250	6/12	-	515.6353	6563.00
		3P+E		380-415	6/12	-	515.6356	6669.00
		3P+N+E		346-415	6/12	-	515.6357	6960.00
	125A	3P+N+E	6	346-415	1/8	-	515.12557	15379.00

Pack/Quantity

DOMO Series

■ EMPTY SURFACE MOUNTING BOXES - DOMO SERIES - IP67

	Cable Inlet	Suitable for sockets	Flange dim (mm)	Cable Inlet	⌘	Cat. No.	INR price	
	Knockout hole	20A	IP44/IP67	70x87	PG16	10	570.0016 (*)	671.00
		32A	IP44/IP67	84x106	PG21	10	570.0032 (*)	895.00

Pack/Quantity

- Supplied with socket fastening screws.
- Screw cap with seal.

(*) Suitable for the sealing caps.

■ ACCESSORIES



Description			Cat. No.	INR price
Blank plate for panel cutouts	70x87 mm	25	654.0100	840.00

 Pack/Quantity

DOMOPLUS Series

Plugs and sockets for industrial applications

■ DOMESTIC STANDARD SOCKETS FOR INDUSTRIAL APPLICATION IP66



Standard	Description			Cat. No.	INR price
 Indian Standard	6/16A 2P+E	70x87	1/12	570.6429	4163.00

 Pack/Quantity

* Price on request

OMNIAPLUS Series

■ DOMESTIC INTERLOCKED SOCKETS IP56



Standard			Cat. No.	INR price
 Indian Standard	6/16A 2P+E	136x125 WITHOUT PROTECTION	1/6	409.0429 8465.00
		136x125 Fuse 6.3x32	1/6	409.1429 *
		136x125 MCB	1/6	409.2429 *
		136x125 RCBO	1/6	409.3429 *

 Pack/Quantity

* Price on request

OMNIA Series

Switched socket outlets with interlock

FLUSH MOUNTING

	Current rating	No of poles	Hr position	Voltage AC	1/2	Cat. No.		INR price
						IP44 without fuse holder	IP66/IP67 without fuse holder	
	20A	2P+E	6	200-250	1/6	400.2083	-	5438.00
		3P+E		380-415	1/6	400.2086	-	6093.00
		3P+N+E		346-415	1/6	400.2087	-	6594.00
	32A	2P+E	6	200-250	1/6	400.3283	-	6614.00
		3P+E		380-415	1/6	400.3286	-	7520.00
		3P+N+E		346-415	1/6	400.3287	-	8426.00
	20A	2P+E	6	200-250	1/6	-	405.2083	6652.00
		3P+E		380-415	1/6	-	405.2086	7308.00
		3P+N+E		346-415	1/6	-	405.2087	7983.00
	32A	2P+E	6	200-250	1/6	-	405.3283	8619.00
		3P+E		380-415	1/6	-	405.3286	8881.00
		3P+N+E		346-415	1/6	-	405.3287	10721.00
	63A	3P+N+E	6	346-415	1/6	-	405.6387	20670.00

1/2 Pack/Quantity

SURFACE MOUNTING

	Current rating	No of poles	Hr position	Voltage AC	1/2	Cat. No.		INR price
						IP44 without fuse holder	IP66/IP67 without fuse holder	
	20A	2P+E	6	200-250	1/6	500.2083	-	6767.00
		3P+E		380-415	1/6	500.2086	-	6320.00
		3P+N+E		346-415	1/6	500.2087	-	7424.00
	32A	2P+E	6	200-250	1/6	500.3283	-	7481.00
		3P+E		380-415	1/6	500.3286	-	7574.00
		3P+N+E		346-415	1/6	500.3287	-	9140.00
	20A	2P+E	6	200-250	1/6	-	505.2083	7925.00
		3P+E		380-415	1/6	-	505.2086	8039.00
		3P+N+E		346-415	1/6	-	505.2087	9313.00
	32A	2P+E	6	200-250	1/6	-	505.3283	10335.00
		3P+E		380-415	1/6	-	505.3286	11049.00
		3P+N+E		346-415	1/6	-	505.3287	12109.00
	63A	2P+E	6	200-250	1/6	-	505.M6383	18800.00
		3P+E		380-415	1/6	-	505.M6386	20323.00
		3P+N+E		346-415	1/6	-	505.M6387	22444.00

1/2 Pack/Quantity

■ ACCESSORIES

	Description		Cat. No.	INR price
	Surface mounting box IP67	1/6	⊕ 572.0310	689.00
	Flush mounting box IP55	1/6	⊕ 572.0200	1231.00
	Flame complete with gasket	6/60	⊕ 572.0220	551.00

 Pack/Quantity

	Description		Cat. No.	
	Blank plate IP67	1/6/72	⊕ 654.0120	999.00
	Blank plate IP67 16A (70x87)	1/6/72	⊕ 654.0125	1091.00
	Blank plate IP67 32A (84x106)	1/6/72	⊕ 654.0126	1091.00

 Pack/Quantity

ADVANCE2 Series

Switched socket outlets with interlock

■ WITH RAIL DIN (6 MODULES)

	Current rating	No of poles	Hr position	Voltage AC	P	Cat. No.		INR price
						IP44	IP66/IP67	
	20A	2P+E	6	200-250	1/4	567.2083	-	8798.00
		3P+E		380-415	1/4	567.2086	-	9362.00
		3P+N+E		346-415	1/4	567.2087	-	10016.00
	32A	2P+E	6	200-250	1/4	567.3283	-	10953.00
		3P+E		380-415	1/4	567.3286	-	11592.00
	20A	2P+E	6	200-250	1/4	-	568.2083	8796.00
		3P+E		380-415	1/4	-	568.2086	9630.00
		3P+N+E		346-415	1/4	-	568.2087	10135.00
	32A	2P+E	6	200-250	1/4	-	568.3283	10810.00
		3P+E		380-415	1/4	-	568.3286	11710.00
		3P+N+E		346-415	1/4	-	568.3287	11960.00
	63A	2P+E	6	200-250	1/4	-	568.6383	22054.00
		3P+E		380-415	1/4	-	568.6386	23733.00
		3P+N+E		346-415	1/4	-	568.6387	25709.00

⊞ Pack/Quantity

ADVANCE-GRP System

Switched interlocked socket outlets

■ SURFACE MOUNTING I-DEVICE - IP66 - WITHOUT FUSE HOLDER



	Current rating	Poles	Hz.	Volt	Colour	h.	P	Cat. No.	INR price
	125A	3P+N+E	50/60	346-415		6	1	503.12587	*

⊞ Pack/Quantity

* Price on request

- Rated voltage >50V

⌋ With switch-disconnector

UNIBOX Series

Surface mounting enclosures



■ SURFACE MOUNTING ASSEMBLED UNITS - IP55

	Gang	Description	Pack	Cat. No.	INR price
	1 gang	1 x 1P switch	1/32	136.5121-303	1021.00
		1 x two-way switch	1/32	136.5121-323	1199.00
		1 x bell push	1/32	136.5121-333	1199.00
	2 gang	1 x 15A British socket without switch	1/32	136.5122-414	2172.00
	3 gang	1 x 6/16A Indian socket	1/24	136.5123-429	2690.00
	3 gang	1 x 13A British socket with switch	1/24	136.5123-413	2305.00
	3 gang	1 x 15A British socket with switch	1/24	136.5123-414	2975.00

 Pack/Quantity

PROTECTA Series

Weatherproof switches and sockets - IP66

■ SWITCH SOCKET OUTLETS

Description	Dimensions	Pack	Cat. No.	INR price
15A - 250V - S.P. switch (British)	M115 (115x115mm)	1/12	137.6111	4890.00

 Pack/Quantity

SURFACE MOUNTING

Switch - Disconnectors

Surface / Flush Mount Engg Plastic IP65

■ ROTARY ISOLATORS



General Use



Emergency Use

	Current rating	No of poles	Dimensions (mm)	□	Cat. No.		INR price
					General Use	Emergency Use	
	20A	2	136x125	1/12	590.GR2002	-	5942.00
	20A	2	136x125	1/12	-	590.ER2002	5942.00
	20A	4	136x125	1/12	590.GR2004	-	6933.00
	20A	4	136x125	1/12	-	590.ER2004	6933.00
	32A	2	136x125	1/12	590.GR3202	-	6433.00
	32A	2	136x125	1/12	-	590.ER3202	6433.00
	32A	4	136x125	1/12	590.GR3204	-	7906.00
	32A	4	136x125	1/12	-	590.ER3204	7906.00
	40A	2	136x125	1/12	590.GR4002	-	12117.00
	40A	2	136x125	1/12	-	590.ER4002	12117.00
	40A	4	136x125	1/12	590.GR4004	-	15471.00
	40A	4	136x125	1/12	-	590.ER4004	15471.00

*** Pl note that Surface mounting Box 572.0310 to be used for Surface Mounting purpose and Flush Mounting Box along with Frame (572.0200 + 572.0220) to be used for Flush Mounting purpose along with above Cat. Nos.

Switch - Disconnectors

Surface mount Engg Plastic IP65



■ ROTARY ISOLATORS

	Current rating	No of poles	Dimensions (mm)	P	Cat. No.		INR price
					General Use	Emergency Use	
	20A	2	105x150x82	1/12	590.GE2012	-	6284.00
	20A	4	105x150x82	1/12	590.GE2014	-	7247.00
	32A	2	105x150x82	1/12	590.GE3212	-	6740.00
	32A	4	105x150x82	1/12	590.GE3214	-	8089.00
	40A	2	105x150x82	1/12	590.GE4012	-	9901.00
	40A	4	105x150x82	1/12	590.GE4014	-	12408.00
	63A	4	210x155x107	1/5	590.GE6304	-	16669.00
	80A	4	210x155x107	1/5	590.GE8004	-	23989.00
	100A	4	210x155x107	1/5	590.GE10004	-	31083.00
	125A	4	308x228x128	1/5	590.GE12504	-	52389.00

DOMINO Series - IP66

Surface mounting enclosure

ENCLOSURE

	Module	DIN modules (17,5mm)	Dimensions hxbxp (mm)	Dissipated power (*)	1/2	Socket	Cat. No.	INR price
	M340	8	340x184x140	14W	1/10	2 (■)	672.2300	6357.00
	M400	12	400x256x140	22W	1/6	1 (▲)	672.3302	8176.00
	M400	12	400x256x140	22W	1/6	2 (●)	672.3300	8293.00
	M400	16	400x328x140	28W	1/4	3 (●)	672.4316	10964.00
	M550	16	550x328x140	28W	1/3	6 (●)	672.5616	14615.00
	M550	24	550x477x140	28W	1/2	8 (●)	672.5822	16961.00

Pack/Quantity

(*) According to CEI 23-49 Italian standard.

■ 16A (70x87mm).

● 16A (70x87mm) or, with suitable adaption, 32A socket (84x106mm).

▲ 63A (100x110mm).

PANEL FLAN GE
70x87

CONSUMER UNITS

	Module	DIN modules (17,5mm)	Dimensions hxbxp (mm)	Dissipated power (*)		Socket	Cat. No.	INR price
	M400	16	400x328x140	28W	1/4	2	⊕ 672.4216	11290.00
	M550	16	550x328x140	28W	1/3	3	⊕ 672.5316 (A)	15009.00
	M550	16	550x328x140	28W	1/3	4	⊕ 672.5416	15148.00

 Pack/Quantity (*) According to CEI 23-48 Italian standard.
 (A) With cutouts to contain 2 OMNIA Series 16A or 32A and 1 OMNIA Series 63A.

 PANEL FLANGE 136x125
 Connection device to be fixed in the upper side.

DOMINO Series - IP66

Surface mounting consumer units

CONSUMER UNITS

	Module	DIN modules (17,5mm)	Dimensions hxbxp (mm)	Dissipated power (*)		Cat. No.	INR price
	M135	2	135x76x102	6W	1/24	⊕ 672.2002	1883.00
	M190	4	190x112x106	10W	1/16	⊕ 672.2004	2266.00
	M190	8	190x184x106	14W	1/10	⊕ 672.2008	3413.00
	M250	12	250x256x140	22W	1/9	⊕ 672.2012	6660.00
	M250	16	250x328x140	28W	1/6	⊕ 672.2016	8601.00

 Pack/Quantity

BLOCK Series - IP66

surface mounting enclosure

ENCLOSURE

	Description	DIN modules	Dimensions (mm)	Dissipated power (*)	Switches	Socket outlets	Cat. No.	INR price
	BLOCK1	4	110x280x95	8W	1	1	Ⓢ 632.1500-000	2350.00
	BLOCK3	6	136x440x105	9W	1	3	Ⓢ 632.3500-000	5457.00
	BLOCK4	11	212x415x105	14W	1	4	Ⓢ 632.4500-000	9382.00
	BLOCK5	14	272x414x110	15W	1	5	632.5500-000	10227.00
	(*) According to CEI 23-49 Italian standard. ■ Cut-outs suitable for 32A socket outlets with 84x106 mm flange. (x) Does not accept COMMAND 63A Series Switches and higher. (e) 70x87 mm cut-outs.							
	Pack/Quantity							

PANEL FLANGE
70x87

ACCESSORIES

	Description	Flange	Pack/Quantity	Cat. No.	INR price
	Plate for panel cut-outs	70x87	25	654.0100	840.00
	Pack/Quantity				

ENERBOX Series IP55

Surface mounting enclosure



ENCLOSURE

	DIN modules (17,5mm)	Dimensions hxbxp (mm)	Dissipated power (*)		Socket	Cat. No.	INR price
	6	285x145x107	9W	1	Blank Plate	633.1010	1520.00
	6	285x145x107	9W	1	1x20/32A	633.1013	1637.00
	6	285x145x107	9W	1	1x63A	633.1014	1703.00
	11	285x235x107	15W	1	Blank Plate	633.2020	2606.00
	11	285x235x107	15W	1	2x20/32A	633.2024	2806.00
	11	285x235x107	15W	1	2x63A	633.2025	2919.00
	11	285x235x107	15W	1	1x20/32A +1x63A	633.2026	2990.00

Pack/Quantity

(*) According to CEI 23-49 Italian standard.

SCABOX Series

Surface mounting junction boxes

BOX WITH CABLE SLEEVES

Cover	Dimensions (mm)	No. of inlets	For	Fixing screws	Ⓜ	Cat. No. IP55	INR price
 Screw cover	100x100x50	6xø23mm	PG 21	4	1/48	Ⓜ 685.004	569.00
	120x80x50	6xø29mm	PG 21	4	1/54	Ⓜ 685.005	637.00
	150x110x70	10xø29mm	PG 21	4	1/40	Ⓜ 685.006 (K1)	948.00
	190x140x70	10xø38mm	PG 29	4	1/24	Ⓜ 685.007 (K1)	1784.00
	240x190x90	12xø38mm	PG 29 (•)	4	1/12	Ⓜ 685.008 (K1)	2852.00
	300x220x120	12xø38mm	PG 29 (•)	4	1/6	Ⓜ 685.009 (K1)	5124.00
	380x300x120	12xø48mm	PG 36 (•)	4	1/4	Ⓜ 685.010 (K1)	6969.00

Ⓜ Pack/Quantity

(K1) It is possible to use the wall mounting brackets kit item 654.0021.

BOX WITH BLANK SIDES

Cover	Dimensions (mm)	Fixing screws	Ⓜ	Cat. No. IP55 - Blank cover	INR price
 Screw cover	100x100x50	4	1/40	Ⓜ 686.204	524.00
	120x80x50	4	1/42	Ⓜ 686.205	546.00
	150x110x70	4	1/48	Ⓜ 686.206 (K1)	816.00
	190x140x70	4	1/30	Ⓜ 686.207 (K1)	1568.00
	240x190x90	4 (◆)	1/16	Ⓜ 686.208 (K1)	2471.00
	300x220x120	4 (◆)	1/8	Ⓜ 686.209 (K1)	4467.00
	380x300x120	4 (◆)	1/4	Ⓜ 686.210 (K1)	6206.00

Ⓜ Pack/Quantity

(•) Suitable for the hinges mounting.

(K1) It is possible to use the wall mounting brackets kit item 654.0021.

CUBOX Series

Surface mounting junction boxes

BOX WITH CABLE SLEEVES AND TERMINAL STRIP - IP55

Cover	Dimensions (mm)	No. of inlets	For	Fixing screws	Terminal strip	Ⓜ	Cat. No.	INR price
 Screw cover	100x100x50	7xø23mm	PG 21	4	6 poles - 6mm ²	1/48	689.004.2	676.00
	120x80x50	6xø29mm	PG 21	4	6 poles - 10mm ²	1/54	689.005.2	703.00
	150x110x70	10xø29mm	PG 21	4	8 poles - 16mm ²	1/40	689.006.2	1276.00

Ⓜ Pack/Quantity

■ ROLLER 330 Series

	Product	Custom Size (mm)	No. of Cutouts	Standard Pack	SCAME Cat. No.	INR price
	Portable Frame with Open Drum	—	—	1	SC92063	10253
	Blank Disc	—	—	1	SC92068	1654
	Disc with cutouts for 2 Straight Panel Mounting Socket Outlets IEC309 (20A or 32A) Cutout Size : 75x75 mm	75x75mm	2	1	SC92074	1654



■ ROLLER 450 Series

	Product	Custom Size (mm)	No. of Cutouts	Standard Pack	SCAME Cat. No.	INR price
	Portable Frame with Drum Roller 450	—	—	1	SC92065	34381
	Portable Frame with Drum Roller Block 450	—	—	1	SC92066	59508
	Blank Disc	—	—	1	SC92088	7538
	Disc with cutouts for 4 Straight Panel Mounting Socket Outlets. IEC309 (20A or 32A) Cutout Size : 75x75 mm	75x75mm	4	1	SC92089	7538

